



## Combination wrench, long type - 120/1








### Description

- material: premium chrome vanadium steel
- drop forged, entirely hardened and tempered
- surface finish: chrome plated according to ISO 1456:2009
- polished head
- ring part with LIFE profile
- made according to standard ISO 7738 (metric dimensions only)

### Technical Data

Barcode	mm	L	B2	B1	A2	A1	Weight	Material	Finish	Profile	Other
616745	3.2	105	8	14	4	3.2	11	4A	10	-	
616746	4	105	8	14	4	3.2	11	4A	10	-	
616747	4.5	105	8	14	4	3.2	7	4A	10	-	
616748	5	119	10.4	14.5	5	3.5	7	4A	10	-	
616749	5.5	119	10.4	14.5	5	3.5	15	4A	10	-	
600357	6	119	10.4	14.5	5	3.5	14	4A	10	-	
600358	7	129	11.5	16.5	5.8	3.9	15	4A	10	-	
600359	8	141	13.2	18.5	6.9	3.9	23	4A	10	-	
600360	9	152	14.3	21	7.3	4	27	4A	10	-	
600361	10	163	15.9	23	7.5	4.2	37	4A	10	-	
600362	11	176	17.8	24.5	8	4.5	45	4A	10	-	
600363	12	186	19.4	26.5	8.5	4.7	55	4A	10	-	
600364	13	199	20.4	29.5	8.5	5.2	68	4A	10	-	
600365	14	210	22	31.5	9	5.2	82	4A	10	-	
600366	15	222	23.2	33.5	9.5	5.7	96	4A	10	-	
600367	16	234	24.8	36	10.5	6.2	121	4A	10	-	
600368	17	245	26.1	38	10.5	6.7	144	4A	10	-	
600369	18	257	27.7	40	11	7.2	165	4A	10	-	
600370	19	268	29.3	42	12	7.2	186	4A	10	-	
600371	20	280	31	44	12.5	7.7	225	4A	10	-	
600372	21	291	32.6	45.5	13	8.2	251	4A	10	-	
600373	22	303	34.1	46.5	13	8.2	266	4A	10	-	
600374	23	314	35.7	50.5	13	8.2	300	4A	5	-	
600375	24	330	37.3	52.5	14	8.5	382	4A	5	-	
600376	25	337	39	54.5	14.5	8.5	377	4A	5	-	
600377	26	349	40.1	56	15	8.5	422	4A	5	-	
600378	27	360	41.6	57.5	15	9	453	4A	5	-	
600379	28	373	43.2	59.5	15.5	9	532	4A	5	-	
600380	29	383	44.9	61.5	16	9.5	567	4A	5	-	
600381	30	395	46.5	63.5	16	10	632	4A	5	-	
600382	32	416	49	68	16.5	10.5	719	4A	5	-	

		L	B2	B1	A2	A1					
60701 9	35	500	53.5	78.8	20	13.6	1405	1C	1	-	
60260 1	36	500	53.5	78.8	20	13.6	1415	1C	1	-	
60583 8	38	515	58	82.8	20.5	14.1	1310	1C	1	-	
60260 2	41	540	62	86.8	21	14.6	2025	1C	1	-	
61851 4	46	560	69	94	23	16	2445	1C	1	-	
61851 7	50	580	75	103	24	17	1955	1C	1	-	
61675 2	55	600	83	112	26	18	3395	1C	1	-	
61675 3	60	620	91	120	28	20	4120	1C	1	-	
61675 4	65	640	100	130	30	21	5205	1C	1	-	
61675 5	70	660	108	140	32	23	5995	1C	1	-	
61675 6	75	680	116	150	34	24	6995	1C	1	-	
61675 7	80	700	124	160	36	26	8595	1C	1	-	
61849 1	1/4"	119	10.4	14.5	5	3.5	14	4A	10	-	
61849 2	5/16"	142	13.2	18.5	6.9	3.9	23	4A	10	-	
61849 3	3/8"	153	14.3	21	7.3	4	27	4A	10	-	
61849 4	7/16"	176	17.8	24.5	8	4.5	45	4A	10	-	
61849 5	1/2"	199	20.4	29.5	8.5	5.2	68	4A	10	-	
61849 6	9/16"	211	22	31.5	9	5.2	82	4A	10	-	
61849 7	5/8"	234	24.8	36	10.5	6.2	121	4A	10	-	
61849 8	11/16"	245	26.1	38	10.5	6.7	144	4A	10	-	
61849 9	3/4"	268	29.3	42	12	7.2	186	4A	10	-	
61850 0	13/16"	291	32.6	45.5	13	8.2	251	4A	10	-	
61850 1	7/8"	303	34.1	46.5	13	8.2	266	4A	10	-	
61850 2	15/16"	330	37.3	52.5	14	8.5	382	4A	5	-	
61850 3	1"	337	39	54.5	14.5	8.5	377	4A	5	-	
61850 4	1.1/16"	360	41.6	57.5	15	9	453	4A	5	-	
61850 5	1.1/8"	372	43.2	59.5	15.5	9	532	4A	5	-	
61850 6	1.1/4"	417	49	68	16.5	10.5	719	4A	5	-	
61850 7	1.5/16"	417	49	68	16.5	10.5	732	1C	5	-	
61850 8	1.3/8"	500	53.5	78.8	20	13.6	1425	1C	1	-	
61850 9	1.7/16"	500	53.5	78.8	20	13.6	1395	1C	1	-	
61851 0	1.1/2"	500	53.5	78.8	20	13.6	1335	1C	1	-	
61851 1	1.5/8"	540	62	86.8	21	14.6	1975	1C	1	-	
61851 2	1.11/16"	540	62	86.8	21	14.6	1995	1C	1	-	
61851 3	1.3/4"	560	69	94	23	16	2435	1C	1	-	
61851 5	1.13/16"	560	69	94	23	16	2495	1C	1	-	
61851 6	1.7/8"	560	69	94	23	16	2445	1C	1	-	
61851 8	2"	580	75	103	24	17	2985	1C	1	-	

## Packaging data

Barcode	mm	Retail tool packaging					Transport package			
		A	B	C	Person	Hand	A1	B1	C1	Person
61674 5	3.2	150	44	4,7	18	4	55	177	27	147
61674 6	4	150	44	4,7	18	4	55	177	27	147
61674 7	4.5	150	44	4,7	14	4	55	177	27	131
61674 8	5	170	44	5	14	4	55	177	27	131
61674 9	5.5	170	44	5	22	4	55	177	27	163
60035 7	6	170	44	5	21	4	55	177	27	96
60035 8	7	177	44	5,4	22	4	55	177	27	106
60035 9	8	187	44	5,5	30	4	55	177	27	134
60036 0	9	197	44	5,5	34	4	55	177	27	152
60036 1	10	211	44	5,7	44	4	54	207	28	197
60036 2	11	222	44	6	52	4	54	207	28	224
60036 3	12	230	44	6,2	62	4	54	207	28	267
60036 4	13	250	44	6,7	75	4	57	237	33	318
60036 5	14	260	44	6,7	89	4	57	237	33	374
60036 6	15	275	44	7	103	4	57	256	33	438
60036 7	16	280	44	7,7	128	4	65	282	40	544
60036 8	17	290	44	8,2	151	4	65	282	40	636
60036 9	18	305	44	8,7	172	4	65	282	40	712
60037 0	19	315	44	8,7	193	4	70	297	44	806
60037 1	20	325	44	9,2	232	4	70	327	49	968
60037 2	21	340	45,5	9,7	258	4	70	327	49	1057
60037 3	22	350	46,5	9,7	273	4	70	327	49	1133
60037 4	23	362	50,5	9,7	313	4	85	357	49	1304
60037 5	24	375	52,5	10	395	4	85	357	49	1580
60037 6	25	385	54,5	10	390	4	60	408	60	1597
60037 7	26	400	56	10	435	4	60	408	60	1772
60037 8	27	412	57,5	10,5	466	4	65	415	62	1916
60037 9	28	425	59,5	10,5	545	4	65	415	62	2199
60038 0	29	435	61,5	11	580	4	65	415	62	2341
60038 1	30	445	63,5	11,5	645	4	75	477	68	3100
60038 2	32	460	68	12	732	4	75	477	68	3003
60701 9	35	78,8	500	13,4	1410	1	-	-	-	-
60260 1	36	78,8	500	13,4	1420	1	-	-	-	-
60583 8	38	78,8	500	13,4	1315	1	-	-	-	-
60260 2	41	86,8	540	14,4	2030	1	-	-	-	-
61851 4	46	94	560	15,5	2450	1	-	-	-	-
61851 7	50	101,5	580	16,2	1960	1	-	-	-	-

Barcode	mm	Retail tool packaging					Transport package			
		A	B	C	Person	Hand	A1	B1	C1	Person
61675 2	55	112	600	17,5	3400	1	-	-	-	-
61675 3	60	120	620	20	4125	1	-	-	-	-
61675 4	65	130	640	21,6	5210	1	-	-	-	-
61675 5	70	140	660	21,6	6000	1	-	-	-	-
61675 6	75	150	680	23	7000	1	-	-	-	-
61675 7	80	160	700	26,5	8600	1	-	-	-	-
61849 1	1/4"	170	44	5	21	4	55	177	27	159
61849 2	5/16"	187	44	5,5	30	4	55	177	27	195
61849 3	3/8"	197	44	5,5	34	4	55	177	27	211
61849 4	7/16"	222	44	6	52	4	54	207	28	283
61849 5	1/2"	250	44	6,7	75	4	57	237	33	375
61849 6	9/16"	260	44	6,7	89	4	57	237	33	431
61849 7	5/8"	280	44	7,7	128	4	65	282	40	587
61849 8	11/16"	290	44	7,9	151	4	65	282	40	679
61849 9	3/4"	315	44	8,5	193	4	70	297	44	847
61850 0	13/16"	340	45,5	9,4	258	4	70	327	49	1107
61850 1	7/8"	350	46,5	9,7	273	4	70	327	49	1167
61850 2	15/16"	375	58	10	395	4	85	357	49	1655
61850 3	1"	385	58	10	390	4	60	408	60	1635
61850 4	1.1/16"	412	58	10,5	466	4	65	415	62	1939
61850 5	1.1/8"	425	59,5	11	545	4	65	415	62	2255
61850 6	1.1/4"	460	67,5	12,5	732	4	75	477	68	3003
61850 7	1.5/16"	68	417	11,2	737	1	-	-	-	-
61850 8	1.3/8"	78,8	500	13,3	1430	1	-	-	-	-
61850 9	1.7/16"	78,8	500	13,3	1400	1	-	-	-	-
61851 0	1.1/2"	78,8	500	13,6	1340	1	-	-	-	-
61851 1	1.5/8"	86,8	540	14,4	1980	1	-	-	-	-
61851 2	1.11/16"	86,8	540	14,6	2000	1	-	-	-	-
61851 3	1.3/4"	94	560	14,6	2440	1	-	-	-	-
61851 5	1.13/16"	94	560	16	2500	1	-	-	-	-
61851 6	1.7/8"	94	560	16	2450	1	-	-	-	-
61851 8	2"	101	580	16,1	2990	1	-	-	-	-