


## Socket 1/2" - 190/1 6p








### Description






- material: premium flex chrome vanadium steel
- drop forged, entirely hardened and tempered
- surface finish: chrome plated according to ISO 1456:2009
- polished
- made according to standard ISO 2725-1 (only metric dimension)
- made according to standard DIN 3124

### Technical Data

Barcode	Hex	L	D1	D2	T	Weight	Material	Finish	Standard
605307	8	38	13.2	22.9	12	55	4B	10	-
610155	9	38	13.9	22.9	12	55	4B	10	-
600851	10	38	15	22.9	12	55	4B	10	-
600852	11	38	16.3	22.9	12	55	4B	10	-
600853	12	38	17.9	22.9	12	65	4B	10	-
600854	13	38	18.8	22.9	12	65	4B	10	-
600855	14	38	19.7	22.9	12	65	4B	10	-
600856	15	38	20.4	22.9	12	65	4B	10	-
600857	16	38	22.9	21.5	12	85	4B	10	-
600858	17	38	24.3	22	12	95	4B	10	-
600859	18	38	25.5	23	12	100	4B	10	-
600860	19	38	26.8	24	14	105	4B	10	-
600861	20	38	28.1	24	14	115	4B	10	-
600862	21	38	29.3	25	14	128	4B	10	-
600863	22	38	30.4	25	14	142	4B	10	-
600864	23	40	31.7	26	14	147	4B	10	-
600865	24	42	33.1	28	16	165	4B	10	-
600866	25	42	34.2	29	16	126	4B	10	-
600867	26	42	35.3	30	16	126	4B	10	-
600868	27	43	37	30	18	180	4B	10	-
600869	28	43	38	31	20	185	4B	10	-
610156	29	43	39	32	20	185	4B	10	-
600871	30	46	40.7	34	22	195	4B	10	-
600872	32	46	43.2	36	22	237	4B	10	-
610105	5/16"	38	13.2	22.9	12	55	4B	10	-
610106	3/8"	38	15	22.9	12	55	4B	10	-
610107	7/16"	38	16.3	22.9	12	55	4B	10	-
610108	1/2"	38	18.8	22.9	12	65	4B	10	-
610109	9/16"	38	20.4	22.9	12	65	4B	10	-
610110	5/8"	38	22.9	21.5	12	85	4B	10	-
610111	11/16"	38	25.5	23	12	95	4B	10	-

		L	D1	D2	T↓				
61011 2	3/4"	38	26.8	24	14	105	4B	10	-
61011 3	13/16"	38	29.3	25	14	128	4B	10	-
61011 4	7/8"	40	31.7	26	14	142	4B	10	-
61011 5	15/16"	42	33.1	28	16	165	4B	10	-
61011 6	1"	42	35.3	30	16	126	4B	10	-
61011 7	1.1/16"	43	37	30	18	180	4B	10	-
61011 8	1.1/8"	43	39	32	20	185	4B	10	-
61011 9	1.3/16"	46	40.7	34	22	237	4B	10	-
61012 0	1.1/4"	46	43.2	36	22	55	4B	10	-

### Packaging data

		Retail tool packaging					Transport package				
		A	B	C			A1	B1	C1		
60530 7	8	105	44	43	60	4	93	144	57	365	
61015 5	9	105	44	43	60	4	93	144	57	365	
60085 1	10	105	44	43	60	4	93	144	57	365	
60085 2	11	105	44	43	60	4	93	144	57	365	
60085 3	12	105	44	43	70	4	93	144	57	405	
60085 4	13	105	44	43	70	4	93	144	57	405	
60085 5	14	105	44	43	70	4	93	144	57	405	
60085 6	15	105	44	43	70	4	93	144	57	405	
60085 7	16	105	44	43	90	4	93	144	57	485	
60085 8	17	105	44	43	100	4	93	144	57	525	
60085 9	18	105	44	43	105	4	93	144	57	545	
60086 0	19	105	44	43	110	4	93	144	57	565	
60086 1	20	105	44	43	120	4	93	144	57	605	
60086 2	21	105	44	43,65	133	4	93	144	57	657	
60086 3	22	105	44	44	147	4	93	144	57	713	
60086 4	23	105	44	44,85	152	4	93	144	57	733	
60086 5	24	105	44	45,55	170	4	93	144	57	805	
60086 6	25	105	44	46,1	131	4	93	144	57	649	
60086 7	26	105	44	46,65	131	4	93	144	57	649	
60086 8	27	105	44	47,5	185	4	93	144	57	865	
60086 9	28	105	44	48	190	4	93	144	57	885	
61015 6	29	105	44	48,5	190	4	93	144	57	885	
60087 1	30	105	44	49,4	200	4	93	144	57	925	
60087 2	32	110	44	50,6	242	4	93	144	57	1093	
61010 5	5/16"	105	44	43	60	4	93	144	57	365	
61010 6	3/8"	105	44	43	60	4	93	144	57	365	
61010 7	7/16"	105	44	43	60	4	93	144	57	365	

Barcode	UNIORD	Retail tool packaging					Transport package			
		A	B	C	Person	Hand	A1	B1	C1	Person
61010 8	1/2"	105	44	43	70	4	93	144	57	405
61010 9	9/16"	105	44	43	70	4	93	144	57	405
61011 0	5/8"	105	44	43	90	4	93	144	57	485
61011 1	11/16"	105	44	43	100	4	93	144	57	525
61011 2	3/4"	105	44	43	110	4	93	144	57	565
61011 3	13/16"	105	44	43,65	133	4	93	144	57	657
61011 4	7/8"	105	44	44,85	147	4	93	144	57	713
61011 5	15/16"	105	44	45,55	170	4	93	144	57	805
61011 6	1"	105	44	46,65	131	4	93	144	57	649
61011 7	1.1/16"	105	44	47,5	185	4	93	144	57	865
61011 8	1.1/8"	105	44	48,5	190	4	93	144	57	885
61011 9	1.3/16"	110	44	49,35	242	4	93	144	57	1093
61012 0	1.1/4"	105	44	50,6	60	4	93	144	57	365